


Hexagonal, standard, long



Item number	Product header text	Product description	SW1	Drive	L1 (mm)
MO-0-8L	Impact socket, hexagonal, WS8, long version	1/4 inch drive	8	¼	57
MO-0-10L	Impact socket, hexagonal, WS10, long version	1/4 inch drive	10	¼	57
MO-0-12L	Impact socket, hexagonal, WS12, long version	1/4 inch drive	12	¼	57
MO-0-13L	Impact socket, hexagonal, WS13, long version	1/4 inch drive	13	¼	57
MO-1-6L	Impact socket, hexagonal, WS6, long version	3/8 inch drive	6	⅜	57
MO-1-7L	Impact socket, hexagonal, WS7, long version	3/8 inch drive	7	⅜	57
MO-1-8L	Impact socket, hexagonal, WS8, long version	3/8 inch drive	8	⅜	57
MO-1-9L	Impact socket, hexagonal, WS9, long version	3/8 inch drive	9	⅜	57
MO-1-10L	Impact socket, hexagonal, WS10, long version	3/8 inch drive	10	⅜	57
MO-1-11L	Impact socket, hexagonal, WS11, long version	3/8 inch drive	11	⅜	57
MO-1-12L	Impact socket, hexagonal, WS12, long version	3/8 inch drive	12	⅜	57
MO-1-13L	Impact socket, hexagonal, WS13, long version	3/8 inch drive	13	⅜	57
MO-1-14L	Impact socket, hexagonal, WS14, long version	3/8 inch drive	14	⅜	57
MO-1-15L	Impact socket, hexagonal, WS15, long version	3/8 inch drive	15	⅜	57
MO-1-16L	Impact socket, hexagonal, WS16, long version	3/8 inch drive	16	⅜	57
MO-1-17L	Impact socket, hexagonal, WS17, long version	3/8 inch drive	17	⅜	57
MO-1-18L	Impact socket, hexagonal, WS18, long version	3/8 inch drive	18	⅜	57
MO-1-19=3/4L	Impact socket, hexagonal, WS19 = 3/4", long version	3/8 inch drive	19 = 3/4"	⅜	57
MO-1-20L	Impact socket, hexagonal, WS20, long version	3/8 inch drive	20	⅜	57
MO-1-21L	Impact socket, hexagonal, WS21, long version	3/8 inch drive	21	⅜	57
MO-1-22L	Impact socket, hexagonal, WS22, long version	3/8 inch drive	22	⅜	57
MO-1-30=1-3/16L	Impact socket, hexagonal, WS30 = 1 3/16", long version	3/8 inch drive	30 = 1 3/16"	⅜	57

Chrummacherstr. 3 CH-8954 Geroldswil info@schochag.ch +41 44 749 30 80 +41 44 749 30 85

Item number	Product header text	Product description	SW1	Drive	L1 (mm)
MO-4-8L	Impact socket, hexagonal, WS8, long version	1/2 inch drive	8	½	82
MO-4-9L	Impact socket, hexagonal, WS9, long version	1/2 inch drive	9	½	82
MO-4-10L	Impact socket, hexagonal, WS10, long version	1/2 inch drive	10	½	82
MO-4-11L	Impact socket, hexagonal, WS11, long version	1/2 inch drive	11	½	82
MO-4-12L	Impact socket, hexagonal, WS12, long version	1/2 inch drive	12	½	82
MO-4-13L	Impact socket, hexagonal, WS13, long version	1/2 inch drive	13	½	82
MO-4-14L	Impact socket, hexagonal, WS14, long version	1/2 inch drive	14	½	82
MO-4-15L	Impact socket, hexagonal, WS15, long version	1/2 inch drive	15	½	82
MO-4-16L	Impact socket, hexagonal, WS16, long version	1/2 inch drive	16	½	82
MO-4-17L	Impact socket, hexagonal, WS17, long version	1/2 inch drive	17	½	82
MO-4-18L	Impact socket, hexagonal, WS18, long version	1/2 inch drive	18	½	82
MO-4-19=3/4L	Impact socket, hexagonal, WS19 = 3/4", long version	1/2 inch drive	19 = 3/4"	½	82
MO-4-20L	Impact socket, hexagonal, WS20, long version	1/2 inch drive	20	½	82
MO-4-21L	Impact socket, hexagonal, WS21, long version	1/2 inch drive	21	½	82
MO-4-22L	Impact socket, hexagonal, WS22, long version	1/2 inch drive	22	½	82
MO-4-23L	Impact socket, hexagonal, WS23, long version	1/2 inch drive	23	½	82
MO-4-24L	Impact socket, hexagonal, WS24, long version	1/2 inch drive	24	½	82
MO-4-25L	Impact socket, hexagonal, WS25, long version	1/2 inch drive	25	½	82
MO-4-26L	Impact socket, hexagonal, WS26, long version	1/2 inch drive	26	½	82
MO-4-27=1-1/16L	Impact socket, hexagonal, WS27 = 1 1/16", long version	1/2 inch drive	27 = 1 1/16"	½	82
MO-4-28L	Impact socket, hexagonal, WS28, long version	1/2 inch drive	28	½	82
MO-4-29L	Impact socket, hexagonal, WS29, long version	1/2 inch drive	29	½	82
MO-4-30=1-3/16L	Impact socket, hexagonal, WS30 = 1 3/16", long version	1/2 inch drive	30 = 1 3/16"	½	82
MO-4-31L	Impact socket, hexagonal, WS31, long version	1/2 inch drive	31	½	82
MO-4-32L	Impact socket, hexagonal, WS32, long version	1/2 inch drive	32	½	82
MO-4-33L	Impact socket, hexagonal, WS33, long version	1/2 inch drive	33	½	82
MO-4-34L	Impact socket, hexagonal, WS34, long version	1/2 inch drive	34	½	82
MO-4-35=1-3/8L	Impact socket, hexagonal, WS35 = 1 3/8", long version	1/2 inch drive	35 = 1 3/8"	½	82
MO-4-36L	Impact socket, hexagonal, WS36, long version	1/2 inch drive	36	½	82
MO-4-38=1-1/2L	Impact socket, hexagonal, WS38 = 1 1/2", long version	1/2 inch drive	38 = 1 1/2"	½	82
MO-4-41L	Impact socket, hexagonal, WS41, long version	1/2 inch drive	41	½	82
MO-4-46=1-13/16L	Impact socket, hexagonal, WS46 = 1 13/16", long version	1/2 inch drive	46 = 1 13/16"	½	82
MO-2-12L	Impact socket, hexagonal, WS12, long version	3/4 inch drive	12	¾	100
MO-2-13L	Impact socket, hexagonal, WS13, long version	3/4 inch drive	13	¾	100

Item number	Product header text	Product description	SW1	Drive	L1 (mm)
MO-2-14L	Impact socket, hexagonal, WS14, long version	3/4 inch drive	14	¾	100
MO-2-15L	Impact socket, hexagonal, WS15, long version	3/4 inch drive	15	¾	100
MO-2-16L	Impact socket, hexagonal, WS16, long version	3/4 inch drive	16	¾	100
MO-2-17L	Impact socket, hexagonal, WS17, long version	3/4 inch drive	17	¾	100
MO-2-18L	Impact socket, hexagonal, WS18, long version	3/4 inch drive	18	¾	100
MO-2-19=3/4L	Impact socket, hexagonal, WS19 = 3/4", long version	3/4 inch drive	19 = 3/4"	¾	100
MO-2-20L	Impact socket, hexagonal, WS20, long version	3/4 inch drive	20	¾	100
MO-2-21L	Impact socket, hexagonal, WS21, long version	3/4 inch drive	21	¾	100
MO-2-22L	Impact socket, hexagonal, WS22, long version	3/4 inch drive	22	¾	100
MO-2-23L	Impact socket, hexagonal, WS23, long version	3/4 inch drive	23	¾	100
MO-2-24L	Impact socket, hexagonal, WS24, long version	3/4 inch drive	24	¾	100
MO-2-25L	Impact socket, hexagonal, WS25, long version	3/4 inch drive	25	¾	100
MO-2-26L	Impact socket, hexagonal, WS26, long version	3/4 inch drive	26	¾	100
MO-2-27=1-1/16L	Impact socket, hexagonal, WS27 = 1 1/16", long version	3/4 inch drive	27 = 1 1/16"	¾	100
MO-2-28L	Impact socket, hexagonal, WS28, long version	3/4 inch drive	28	¾	100
MO-2-29L	Impact socket, hexagonal, WS29, long version	3/4 inch drive	29	¾	100
MO-2-30=1-3/16L	Impact socket, hexagonal, WS30 = 1 3/16", long version	3/4 inch drive	30 = 1 3/16"	¾	100
MO-2-31L	Impact socket, hexagonal, WS31, long version	3/4 inch drive	31	¾	100
MO-2-32L	Impact socket, hexagonal, WS32, long version	3/4 inch drive	32	¾	100
MO-2-33L	Impact socket, hexagonal, WS33, long version	3/4 inch drive	33	¾	100
MO-2-34L	Impact socket, hexagonal, WS34, long version	3/4 inch drive	34	¾	100
MO-2-35=1-3/8L	Impact socket, hexagonal, WS35 = 1 3/8", long version	3/4 inch drive	35 = 1 3/8"	¾	100
MO-2-36L	Impact socket, hexagonal, WS36, long version	3/4 inch drive	36	¾	100
MO-2-37L	Impact socket, hexagonal, WS37, long version	3/4 inch drive	37	¾	100
MO-2-38=1-1/2L	Impact socket, hexagonal, WS38 = 1 1/2", long version	3/4 inch drive	38 = 1 1/2"	¾	100
MO-2-40L	Impact socket, hexagonal, WS40, long version	3/4 inch drive	40	¾	100
MO-2-41L	Impact socket, hexagonal, WS41, long version	3/4 inch drive	41	¾	100
MO-2-42L	Impact socket, hexagonal, WS42, long version	3/4 inch drive	42	¾	100
MO-2-43L=1-11/16L	Impact socket, hexagonal, WS43 = 1 11/16", long version	3/4 inch drive	43 = 1 11/16"	¾	100
MO-2-44L	Impact socket, hexagonal, WS44, long version	3/4 inch drive	44	¾	100
MO-2-45L	Impact socket, hexagonal, WS45, long version	3/4 inch drive	45	¾	100
MO-2-46L=1-13/16L	Impact socket, hexagonal, WS46 = 1 13/16", long version	3/4 inch drive	46 = 1 13/16"	¾	100
MO-2-47L	Impact socket, hexagonal, WS47, long version	3/4 inch drive	47	¾	100
MO-2-48L	Impact socket, hexagonal, WS48, long version	3/4 inch drive	48	¾	100

Item number	Product header text	Product description	SW1	Drive	L1 (mm)
MO-2-50L	Impact socket, hexagonal, WS50, long version	3/4 inch drive	50	¾	100
MO-2-51L	Impact socket, hexagonal, WS51, long version	3/4 inch drive	51	¾	100
MO-2-52L	Impact socket, hexagonal, WS52, long version	3/4 inch drive	52	¾	100
MO-2-55L	Impact socket, hexagonal, WS55, long version	3/4 inch drive	55	¾	100
MO-2-56L	Impact socket, hexagonal, WS56, long version	3/4 inch drive	56	¾	100
MO-2-60L	Impact socket, hexagonal, WS60, long version	3/4 inch drive	60	¾	125
MO-2-65=2-9/16L	Impact socket, hexagonal, WS65 = 2 9/16", long version	3/4 inch drive	65 = 2 9/16"	¾	125
MO-2-70=2-3/4L	Impact socket, hexagonal, WS70 = 2 3/4", long version	3/4 inch drive	70 = 2 3/4"	¾	125
MO-2-75L	Impact socket, hexagonal, WS75, long version	3/4 inch drive	75	¾	125
MO-2-95=3-3/4L	Impact socket, hexagonal, WS95 = 3 3/4", long version	3/4 inch drive	95 = 3 3/4"	¾	125
MO-9-19=3/4L	Impact socket, hexagonal, WS19 = 3/4", long version	1 inch drive	19 = 3/4"	1	100
MO-9-21L	Impact socket, hexagonal, WS21, long version	1 inch drive	21	1	100
MO-9-22L	Impact socket, hexagonal, WS22, long version	1 inch drive	22	1	100
MO-9-23L	Impact socket, hexagonal, WS23, long version	1 inch drive	23	1	100
MO-9-24L	Impact socket, hexagonal, WS24, long version	1 inch drive	24	1	100
MO-9-25L	Impact socket, hexagonal, WS25, long version	1 inch drive	25	1	100
MO-9-26L	Impact socket, hexagonal, WS26, long version	1 inch drive	26	1	100
MO-9-27=1-1/16L	Impact socket, hexagonal, WS27 = 1 1/16", long version	1 inch drive	27 = 1 1/16"	1	100
MO-9-28L	Impact socket, hexagonal, WS28, long version	1 inch drive	28	1	100
MO-9-29L	Impact socket, hexagonal, WS29, long version	1 inch drive	29	1	100
MO-9-30=1-3/16L	Impact socket, hexagonal, WS30 = 1 3/16", long version	1 inch drive	30 = 1 3/16"	1	100
MO-9-31L	Impact socket, hexagonal, WS31, long version	1 inch drive	31	1	100
MO-9-32L	Impact socket, hexagonal, WS32, long version	1 inch drive	32	1	100
MO-9-33L	Impact socket, hexagonal, WS33, long version	1 inch drive	33	1	100
MO-9-34L	Impact socket, hexagonal, WS34, long version	1 inch drive	34	1	100
MO-9-35=1-3/8L	Impact socket, hexagonal, WS35 = 1 3/8", long version	1 inch drive	35 = 1 3/8"	1	100
MO-9-36L	Impact socket, hexagonal, WS36, long version	1 inch drive	36	1	100
MO-9-37L	Impact socket, hexagonal, WS37, long version	1 inch drive	37	1	100
MO-9-38=1-1/2L	Impact socket, hexagonal, WS38 = 1 1/2", long version	1 inch drive	38 = 1 1/2"	1	100
MO-9-39L	Impact socket, hexagonal, WS39, long version	1 inch drive	39	1	100
MO-9-40L	Impact socket, hexagonal, WS40, long version	1 inch drive	40	1	100
MO-9-41L	Impact socket, hexagonal, WS41, long version	1 inch drive	41	1	100
MO-9-42L	Impact socket, hexagonal, WS42, long version	1 inch drive	42	1	100
MO-9-43=1-11/16L	Impact socket, hexagonal, WS43 = 1 11/16", long version	1 inch drive	43 = 1 11/16"	1	100
MO-9-44L	Impact socket, hexagonal, WS44, long version	1 inch drive	44	1	115
MO-9-45L	Impact socket, hexagonal, WS45, long version	1 inch drive	45	1	115
MO-9-46=1-13/16L	Impact socket, hexagonal, WS46 = 1 13/16", long version	1 inch drive	46 = 1 13/16"	1	115
MO-9-47L	Impact socket, hexagonal, WS47, long version	1 inch drive	47	1	115
MO-9-48L	Impact socket, hexagonal, WS48, long version	1 inch drive	48	1	115
MO-9-49L	Impact socket, hexagonal, WS49, long version	1 inch drive	49	1	115
MO-9-50L	Impact socket, hexagonal, WS50, long version	1 inch drive	50	1	125
MO-9-51L	Impact socket, hexagonal, WS51, long version	1 inch drive	51	1	125
MO-9-52L	Impact socket, hexagonal, WS52, long version	1 inch drive	52	1	125
MO-9-55L	Impact socket, hexagonal, WS55, long version	1 inch drive	55	1	125

Item number	Product header text	Product description	SW1	Drive	L1 (mm)
MO-9-56L	Impact socket, hexagonal, WS56, long version	1 inch drive	56	1	125
MO-9-57L	Impact socket, hexagonal, WS57, long version	1 inch drive	57	1	125
MO-9-60L	Impact socket, hexagonal, WS60, long version	1 inch drive	60	1	125
MO-9-65=2-9/16L	Impact socket, hexagonal, WS65 = 2 9/16", long version	1 inch drive	65 = 2 9/16"	1	135
MO-9-70=2-3/4L	Impact socket, hexagonal, WS70 = 2 3/4", long version	1 inch drive	70 = 2 3/4"	1	135
MO-9-75L	Impact socket, hexagonal, WS75, long version	1 inch drive	75	1	135
MO-9-80L	Impact socket, hexagonal, WS80, long version	1 inch drive	80	1	140
MO-9-85L	Impact socket, hexagonal, WS85, long version	1 inch drive	85	1	140
MO-9-90L	Impact socket, hexagonal, WS90, long version	1 inch drive	90	1	140
MO-9-95=3-3/4L	Impact socket, hexagonal, WS95 = 3 3/4", long version	1 inch drive	95 = 3 3/4"	1	140
MO-5-30=1-3/16L	Impact socket, hexagonal, WS30 = 1 3/16", long version	1 1/2 inch drive	30 = 1 3/16"	1½	150
MO-5-35=1-3/8L	Impact socket, hexagonal, WS35 = 1 3/8", long version	1 1/2 inch drive	35 = 1 3/8"	1½	150
MO-5-36L	Impact socket, hexagonal, WS36, long version	1 1/2 inch drive	36	1½	150
MO-5-38L	Impact socket, hexagonal, WS38 = 1 1/2", long version		38 = 1 1/2"		150
MO-5-41L	Impact socket, hexagonal, WS41, long version	1 1/2 inch drive	41	1½	150
MO-5-42L	Impact socket, hexagonal, WS42, long version	1 1/2 inch drive	42	1½	150
MO-5-43=1-11/16L	Impact socket, hexagonal, WS43 = 1 11/16", long version	1 1/2 inch drive	43 = 1 11/16"	1½	150
MO-5-46=1-13/16L	Impact socket, hexagonal, WS46 = 1 13/16", long version	1 1/2 inch drive	46 = 1 13/16"	1½	150
MO-5-47L	Impact socket, hexagonal, WS47, long version	1 1/2 inch drive	47	1½	150
MO-5-48L	Impact socket, hexagonal, WS48, long version	1 1/2 inch drive	48	1½	150
MO-5-50L	Impact socket, hexagonal, WS50, long version		50		150
MO-5-52L	Impact socket, hexagonal, WS52, long version		52		150
MO-5-55L	Impact socket, hexagonal, WS55, long version		55		150
MO-5-56L	Impact socket, hexagonal, WS56, long version	1 1/2 inch drive	56	1½	150
MO-5-57L	Impact socket, hexagonal, WS57, long version	1 1/2 inch drive	57	1½	150
MO-5-58L	Impact socket, hexagonal, WS58, long version	1 1/2 inch drive	58	1½	150
MO-5-60L	Impact socket, hexagonal, WS60, long version		60		150
MO-5-63L	Impact socket, hexagonal, WS63, long version	1 1/2 inch drive	63	1½	150
MO-5-64L	Impact socket, hexagonal, WS64, long version	1 1/2 inch drive	64	1½	150
MO-5-65=2-9/16L	Impact socket, hexagonal, WS65 = 2 9/16", long version	1 1/2 inch drive	65 = 2 9/16"	1½	150
MO-5-70=2-3/4L	Impact socket, hexagonal, WS70 = 2 3/4", long version	1 1/2 inch drive	70 = 2 3/4"	1½	170
MO-5-75L	Impact socket, hexagonal, WS75, long version		75		170
MO-5-80L	Impact socket, hexagonal, WS80, long version	1 1/2 inch drive	80	1½	170
MO-5-85L	Impact socket, hexagonal, WS85, long version		85		180
MO-5-90L	Impact socket, hexagonal, WS90, long version		90		180
MO-5-95=3-3/4L	Impact socket, hexagonal, WS95 = 3 3/4", long version		95 = 3 3/4"		190
MO-5-100L	Impact socket, hexagonal, WS100, long version		100		190
MO-5-105=4-1/8L	Impact socket, hexagonal, WS105 = 4 1/8", long version		105 = 4 1/8"		190
MO-5-110L	Impact socket, hexagonal, WS110, long version		110		200
MO-5-115L	Impact socket, hexagonal, WS115, long version	1 1/2 inch drive	115	1½	200

Item number	Product header text	Product description	SW1	Drive	L1 (mm)
MO-5-120L	Impact socket, hexagonal, WS120, long version	1 1/2 inch drive	120	1½	200
MO-5-125L	Impact socket, hexagonal, WS125, long version	1 1/2 inch drive	125	1½	200
MO-5-130L	Impact socket, hexagonal, WS130, long version	1 1/2 inch drive	130	1½	210
MO-5-135L	Impact socket, hexagonal, WS135, long version	1 1/2 inch drive	135	1½	210
MO-5-140L	Impact socket, hexagonal, WS140, long version	1 1/2 inch drive	140	1½	210
MO-5-145L	Impact socket, hexagonal, WS146, long version	1 1/2 inch drive	145	1½	210
MO-5-150L	Impact socket, hexagonal, WS150, long version	1 1/2 inch drive	150	1½	210
MO-5-155L	Impact socket, hexagonal, WS155, long version	1 1/2 inch drive	155	1½	210